Approved For Release 2002/11/20 : CIA-RDF-00-1676R001100040032-3

10-7/3/a

25X1

1958

Lieutenant Ceneral John A. Semford, USAF Director, National Security Agency Port George G. Meede, Maryland

Dear General Semford:

Reference is made to your letter, Serial A-0420, dated 27 January 1958, accepting CIA's offer to assign an analyst to part-time duty with the CIA Limison Office at Fort Heade. If it is agreeable with you and members of your staff, will be assigned to this duty on or about the lith of Merch.

This Agency, in order to eccomplish its required mission, is in great need of frequency usage and related materials that are available in MSA. Your consideration and cooperation in making it possible to arrange for an effective exchange of the required data as mentioned in your letter are sincerely appreciated.

Sincerely yours.

Allen W. Dullen

A A Section Control of the Control o	Director	
Distribution:		
Orig & 1 - Addressee 1 - DCI - scaling	CONCUR:	25X1
1 - DDI - Exec Reg. Vu/basic 1 - AD/CR		
1 - AD/CI 1 - AD/CI 2 - SR/CR		Wilsomer
SApproved For Release 2002/11/20 : CIA-RDF	P80B01676R001100040032-3	ILLIIBENUE (A)

pproved For Release 2002/11/20 : CIA-RDP80B01676R001100040032-3 NATIONAL SECURITY AGENCY FT. GEORGE G. MEADE, MD.

Serial: N 0120

27 JAN 1958

SECRET

The Honorable Allen W. Dulles Director, Central Intelligence Agency 2430 E Street, N. W. Washington 25, D. C.

Dear Mr. Dulles:

Reference is made to CIA memorandum, Serial ER 9-9629, Subject: Frequency Usage, dated 23 December 1957, wherein it is stated it would not be advantageous at this time for you to relocate the frequency usage file at NSA.

This Agency will be most pleased to accept your offer to assign an analyst to part-time duty with the CIA Liaison Office at Fort Meade. It should be possible at that time to arrange for an effective exchange of the required data.

Sincerely,

JOHN A. SAMFORD
Lieutenant General, USAF
Director



pproved For Release 2002/11/20 : CIA-RDP80B01676R001100040032-3

NATIONAL SECUPITY AGENCY

FT GEORGE & MEADE, MD.

ferial:

管学 Jan 1991

The Honorable Allen W. Dulles Director, Central Intelligence Against 2430 E Street, H. W. Washington 25, D. C.

Dear Mr. Dulles:

Reference is made to CIA memorrandum Serial ER 9-9629,
Subject: Prequency Weage, dated by December 1957 wherein it
is stated it would not be advantaged at this time for you
to relocate the frequency case file at NEA.

to assign an analyst to part-time duty with the CLi Limison Office at Port Mede. It should be possible at that time to assume for an effective exchange of the required data.

Sirceraly,

JOHN A. SASTORY
Liretenant General. USAF
Mirector

1958 Am * AM 11:37

9-7629

MEMORANDIM FOR: Director, National Security Agency

SUBJECT:

Frequency Usage

REFERENCES:

- (a) Memorandum from Acting BCI to Director, MSA, dated 31 December 1956
- (b) Memorandum from Chief, Office of Collection Production, ASA, to DCI, dated 28 March 1957

1.	was assigned	duty with MS	A during the
period April through June	1957, for pur	poses outline	d in paragraph 4
of CIA memorandum dated 31	December 195	6. I wish to	express my
sincere appreciation for t	he courtesy a	nd cooperatio	n extended
Forwarded here	with is a cop	y of the repo	rt on his
special assignment.			

- 2. Having reviewed the findings and explored the matter with members of my staff, I am forced to conclude that, at least for the present, it would not be advantageous to CIA to relocate its frequency usage unit at Fort Meede.
 - 3. The basis for this conclusion may be summarized as follows:

b. The only advantage that perhaps could not be attained through means short of relocation would appear to be CIA use of MSA Electronic Data Processing Machine (EDFM) equipment. In our opinion total reliance on HSA Machine Processing Section facilities would not satisfy the needs of CIA. To perform its mission with required timeliness and efficiency the CIA unit must have a closely associated machine facility. A centralized facility, even though EDFM equipment is used, would not have the flexibility to perform, immediately on demand, the wide | |LLEGIB variety of processing and tabulating functions currently required.

Approved For Release 2002/11/2014 RDP80B01676R001100040032-3

25X1

25X1

25X1

-2-

3. As an alternative to collocation, CTA proposes that a closer linison be established between Communications Analysts within the various components of MSA and the Radio Stations Branch, CTA, to ensure a more rapid, complete, and direct exchange of information. We are prepared to assign an analyst to part-time duty with the CTA Limison Officer at Fort Meads to establish and maintain this relationship.

ALLER W. DULLES Director

5X1	Enclosure: Report by Mr.	
	Distribution:)

Orig & 1 - Addressee

1 - DCI 2 - EN/(w/o end)

1 - DD/I1 - AD/CI

1 - AD/SI

1 - AD/RR

1 - AD/CR thru DD/I 1 - Chairman, IOTAC

OCR/PABorel/ac (10 Dec 57)

25X1

9-9629

28 1 050

MEMORANDIM FOR: Director, National Security Agency

SUBJECT:

Frequency Usage

REFERENCES:

- (a) Memorandum from Acting BCI to Director, NSA, dated 31 December 1956
- (b) Memorandum from Chief, Office of Collection Production, NSA, to DCI, dated 28 March 1957

1.	was assigned	duty with Mile	during the
period April through June 1	1957, for pur	poses outlined	in paragraph 4
of CIA memorandum dated 31	December 195	6. I wish to	SXDX.488 MA.
sincere appreciation for th	he courtesy a	nd cooperation	extended
Forwarded herev	with is a copy	y of the repor	t on his
special assignment.			

- 2. Having reviewed the findings and explored the matter with members of my staff, I am forced to conclude that, at least for the present, it would not be adventageous to CIA to relocate its frequency usage unit at Fort Meads.
 - 3. The basis for this conclusion may be summarized as follows:

b. The only advantage that perhaps could not be attained through meens short of relocation would appear to be CIA use of MSA Electronic Data Processing Machine (EDFM) equipment. In our opinion total reliance on MSA Machine Processing Section facilities would not satisfy the needs of CIA. To perform its mission with required timeliness and efficiency the CIA unit must have a closely associated machine facility. A contralized facility, even though EDFM equipment is used, would not have the flexibility to purform, immediately on demand, the wide variety of processing and tabulating functions currently required.

25X1

25X1

(H54)

25X1

3. As an alternative to collocation, CIA proposes that a closer liaison be established between Communications Analysts within the various components of NSA and the Radio Stations Branch, CIA, to ensure a more rapid, complete, and direct exchange of information. We are prepared to assign an analyst to part-time duty with the CIA Maison Officer at Fort Meade to establish and maintain this relationship.

ALLEN W. DULLES Director

Si

Enclosure:
Report by Mr.

Distribution:
Orig & 1 - Addressee

1 - DCI
2 - ER /
1 - DD/I
1 - AD/CI
1 - AD/SI
1 - AD/RR
1 - AD/CR thru DD/I
1 - Chairman, IOTAC

OCR/PARcrel/ac (10 Dec 57)

25X1

25X1

this in a man that he is in the life

1900 reach 111.31

25X1



Sur

DDC/ copy to become

ER File copy

25X1

	DATE
TRANSM	TTAL SLIP 28 Feb. 1958
TO:	- Ar
ROOM NO.	BUILDING
REMARKS:	
formal	ed long enough to clear in- y the question of
	Paul A. Borel
FROM:	EXTENSION
ROOM NO.	BUILDING
FORM NO .2	REPLACES FORM 36-8 WHICH MAY BE USED.

25X1

25X1

Approved For Release 2002/11/20 : CIA-RDP80B01676R001100040032-3